

DI-B200BR



Features

- 1 / 2.8" SONY 2.1MP Starvis Back-illuminated CMOS Sensor
- AHD / CVI / TVI / CVBS 4 IN 1
- Built-in 2.8 - 12mm 3MP Varifocal Lens
- Support D-WDR Function
- 2D / 3D Noise Reduction
- Low Exposure Shutter Speed
- Max. IR Distance is 60 meters
- Support DC 12V Voltage Input
- OSD & UTC support
- OSD Menu Language
- IP66 Ingress Protection

Specification

Model	DI-B200BR
Video Output Mode	AHD / CVI / TVI / CVBS
Camera	
Image Sensor	1/2.8" Sony 2.1MP Starvis Back-illuminated CMOS Sensor
Image Resolution	2MP 1080P / 960H
Elective Pixels	1920 * 1080
Electronic Shutter	1/25s ~ 1/50,000s, 1/30s ~ 60,000s
S/N Ratio	> 50dB
Lens	
Scanning System	Progressive Scan
Focus Length	2.8 - 12mm
Focus Control	Manual
Lens Type	Varifocal
Pixels	2M Pixels
Auto Iris Support	No
Night Vision	
Infrared LED	42μ x 6PCS
Infrared Distance	60M
IR Status	Under 10 Lux by CDS
IR Power On	CDS Auto Control
Camera Features	
Day / Night	Yes
OSD Menu Language	Yes
White Balance	Auto / Manual
Gain Control	Auto
Noise Reduction	3DNR
Picture Adjustment	Yes
WDR	Yes
OSD Support	Yes
UTC	Yes
General	
Housing	Metal, IP66
Bracket	Yes
IR Cut Filter	Yes
Operation Temperature	-10°C ~ 50°C RH95% Max
Storage Temperature	-20°C ~ 60°C RH95% Max
Power Source	DC12V±10%, 850mA
Dimensions (mm)	290(W) x 92(H) x 80(D) mm
Weight	1400g

* Specification is subject to change without prior notice.